## V

## AGENDA ITEM REQUEST FORM

## **Hays County Commissioners Court**

Tuesdays at 9:00 AM

Request forms are due in Microsoft Word Format via email by 2:00 p.m. on Wednesday.

| AGENDA ITEM                                 |                           |            |                 |            |  |
|---|---------------------------|------------|-----------------|------------|--|
| Authorize Institutional OSSF Permit at 12   | 507 Pauls Valley Road, Ai | ustin, TX. |                 |            |  |
|   |                           |            |                 |            |  |
| ITEM TYPE                                   | MEETING DATE              |            | AMOUNT REQUIRED |            |  |
| CONSENT                                     | July 23, 2013             |            | N/A             |            |  |
|   |                           |            |                 |            |  |
| LINE ITEM NUMBER                            |                           |            |                 |            |  |
|   |                           |            |                 |            |  |
|   | AUDITOR USE ONL'          | ,          |                 |            |  |
| AUDITOR COMMENTS:                           |                           |            |                 |            |  |
|   |                           |            |                 |            |  |
| PURCHASING GUIDELINES FOLLOWED:             | N/A                       | AUDITOR RE | VIEW:           | N/A        |  |
| REQUESTED BY                                |                           | SPONS      | OR              | CO-SPONSOR |  |
| Roxie McInnis, Development Services Manager |                           | WHISEN     | ANT             | N/A        |  |

## SUMMARY

Delton Glass is proposing an OSSF to serve a 4000 square foot office/warehouse building. in Precinct 4. This property is 6.33 acres. Water will be supplied by rainwater collection.

The system designer, Don Perry, R.S. has designed a treatment system which consists of an equalization tank, aerobic treatment unit, and dispersal to a drip irrigation dispersal field at a daily usage rate of 140 gallons.

FILED:

HAYS COUNTY COMMISSIONERS' COURT

Resolution # 29/104 VOL V PG 1910